


# MERCURY REMOVAL PROTOCOL

**PURE OXYGEN IS PROVIDED AS AN ALTERNATIVE SOURCE TO FURTHER PROTECT THE PATIENT.**



**A RUBBER DAM IS USED TO PROTECT THE PATIENT FROM PARTICLES OF THE MERCURY FILLINGS AS WELL AS TO PROVIDE A CLEAN, STERILE ENVIRONMENT IN WHICH TO PLACE THE NEW RESTORATIONS.**





COM AIR®  
**EAGLE 2500**

ION CONTROL



PURIFIER



FAN



SMALLEST AREA (SQUARE FEET)  
FOR PROPER OPERATION  
SEE OWNERS MANUAL

**THIS IONIZER HELPS KEEP THE AIR  
IN THE TREATMENT ROOMS FRESH.**



**This handpiece exhausts air into a tube and prevents vapors from getting into the air in the form of a mist.**

Call Ahead for Repairs, Price Quotes,  
Information and Technical Assistance

Palisades Dental


One New England Avenue

Piscataway, NJ 08855

Phone: (800) 664-8000



**2 HORSEPOWER MOTORS PROVIDE DOUBLE CAPABILITY TO REMOVE VAPORS AS THE FILLING IS REMOVED!**



**THIS NEWER UNIT PROVIDES ADDITIONAL ASSURANCE THAT VAPORS ARE BEING REMOVED FROM AROUND THE PATIENT AND DENTAL TEAM.**



**DURING REMOVAL OF THE MERCURY FILLING, THE DENTAL ASSISTANT WILL KEEP A STEADY STREAM OF WATER FLOWING ONTO THE OLD FILLING TO PREVENT VAPORS FROM ESCAPING.**



